## **Environmental Assessment Checklist**

Project Name: Butte Silver Bow Herman Gulch Water Treatment Plant Easement

Proposed Implementation Date: April - 2014

Proponent: Butte Silver Bow, Public Works Department

**County: Butte Silver Bow** 

## Type and Purpose of Action

#### **Description of Proposed Action:**

The Butte/Silver Bow consolidated government is proposing acquire a permanent easement, covering 3.72 ac. of land, from the State of Montana to locate a portion of the Basin Creek Water Treatment facility. The project is located in a portion of the <a href="https://www.nwt.numer.nu

| Beneficiary                              | Legal<br>Description          | Total<br>Acres | Treated Acres |
|--|-------------------------------|----------------|---------------|
| Common Schools- K-12 Education           | NW1/4NE1/4 Sec.<br>36 T2N R8W | 40             | 3.72          |
| University of Montana                    |                               |                |               |
| Montana State University – Morrill Grant |                               |                |               |
| Montana State University – Second Grant  |                               |                |               |
| Montana Tech-Butte                       |                               |                |               |
| University of Montana-Western            |                               |                |               |
| Montana State University-Billings        |                               |                |               |
| State Reform School-Pine Hills           |                               |                |               |
| State Normal School                      |                               |                |               |
| Montana School for the Deaf and Blind    |                               |                |               |
| Montana Veterans Home                    |                               |                |               |
| Public Buildings                         |                               |                | Trous and a   |

#### Objectives of the project include:

 Butte-Silver Bow (BSB) municipal government has requested a permanent easement for lands to support a new water treatment facility. The new plant is part of a major upgrade for that portion of the municipal water system provided by the Basin Creek Reservoir. State trust lands would be used for pressurizing infrastructure and to stabilize the site location.

#### Proposed activities include:

Installation of construction cut-slopes and pressure relief tubes

The lands involved in this proposed project are held in trust by the State of Montana. (Enabling Act of February 22, 1889; 1972 Montana Constitution, Article X, Section 11.) The Board of Land Commissioners and the DNRC are required by law to administer these trust lands to produce the largest measure of reasonable and legitimate return over the long run for the beneficiary institutions (Section 77-1-202, MCA).

The DNRC would manage lands involved in this project in accordance with:

Administrative Rules for Forest Management (ARM 36.11.401 through 471) and all other applicable state and federal laws.

## **Project Development**

#### SCOPING:

- DATE:
  - Public scoping was open from 1-31-13 to 2-21-14
- PUBLIC SCOPED:
  - The scoping notice was posted on the DNRC Website: <a href="http://dnrc.mt.gov/PublicInterest/Notices/Default.asp">http://dnrc.mt.gov/PublicInterest/Notices/Default.asp</a>
- Sent to 34 adjacent landowners, DNRC's statewide scoping list and other interested parties.
- AGENCIES SCOPED:
  - Montana Fish, Wildlife & Parks (FWP)
  - Montana Attorney General's Office
  - Office of Securities & Insurance
  - Office of the State Superintendent of Public Instruction
  - Office of Secretary of State for Montana
  - Beaverhead Deer Lodge National Forest
- COMMENTS RECEIVED:
  - How many: Three
  - Concerns:
    - Concern was expressed about blockage of the Herman Gulch Road preventing access to homes and egress for work and emergencies.
    - Implementation of the action alternative may impair the movement of elk through their historic migration corridor.
    - The proposed action could negatively impact critical winter forage for the local elk population
    - Ground disturbance on the Trust Land could impact cultural resources which might be present
    - Ground disturbance, especially on steeper slopes can lead to soil erosion causing negative impacts to this resource.
    - The proposed action may introduce new state-listed noxious weeds to the site or spread existing populations

- Results (how were concerns addressed):
  - Access to the power plant is planned from the Basin Creek Road. There will be excavation work on the Trust Land but road access from Herman Gulch has not been proposed. Prevention of equipment blockage on the 126.28 ft. of road frontage involved on Trust Land can be dealt with by inserting a clause in the construction authorization which prohibits road blockage. It also needs to be pointed out that there are no authorizations issued by the State for anyone to use the Herman Gulch Road where it crosses School Trust Lands.
  - Elk movement corridors and winter forage-See Wildlife comment section
  - Cultural Resources-See Historical or Archaeological sites comments and mitigations.
  - Ground Disturbance and soil erosion-See Geology & Soil Quality and Moisture Mitigations
  - Noxious weed introduction and spread-See vegetation Mitigations

Internal and external issues and concerns were considered during project planning and design. DNRC specialists were consulted, including: DNRC Wildlife Biologist, Archeologist and Soil Scientist/Hydrologist.

Internal and external issues and concerns were incorporated into project planning and design and will be implemented in associated contracts.

OTHER GOVERNMENTAL AGENCIES WITH JURISDICTION, LIST OF PERMITS NEEDED: (Conservation Easements, Army Corp of Engineers, road use permits, etc.)

Activity on DNRC lands will comply with all applicable local, state and federal laws.

#### **ALTERNATIVES CONSIDERED:**

#### No-Action:

### Action Alternative (Provide a brief description of all proposed activities):

The proposed action involves cutting back-slopes to stabilize excavations made for the water treatment plant and the installation of pipes to aid in pressure management within the plant.

## Impacts on the Physical Environment

Evaluation of the impacts on the proposed action including <u>primary</u>, <u>secondary and cumulative</u> impacts on the Physical Environment.

| Vegetation           |     | IMPA       | СТ    |      | Can Impact be | Comment Index                                    |  |
|----------------------|-----|------------|-------|------|---------------|--|--|
|                      | N/A | Negligible | Minor | High | mitigated?    |  |  |
| Noxious Weeds        |     |            | X     |      | Yes           | See vegetation mitigations                       |  |
| Rare Plants          | Х   |            |       |      |               | Natural Heritage Program lists none              |  |
| Vegetative community |     |            | X     |      | Yes           | Minor throughout the 40. High on disturbed sites |  |
| Old Growth           | X   |            |       |      |               |  |  |

#### Vegetation Mitigations:

- > Stockpiling and redressing the top four inches of soil back onto disturbed areas
- Seed all disturbed ground to specified weed free grass seed mixture
- > Eradicate State listed noxious weeds which occur within the easement boundary
- The applicant is responsible for the control and eradication of all state listed noxious weeds which occur within the easement boundary. Failure to eradicate these weeds will be grounds for easement termination.

| Geology &<br>Soil Quality<br>and Moisture |     | IMPACT     |       | Can Impact be mitigated? | Comment Index                               |   |
|---|-----|------------|-------|--------------------------|---|---|
|   | N/A | Negligible | Minor | High                     |   |   |
| Nutrient Cycling                          |     |            | X     |                          | Yes   | By establishing a grass stand on the site   |
| Soil Productivity                         |     |            |       | X                        | Revegetation will<br>help to some<br>extent | The amount of acres on which soil productivity will be impacted is relatively small compared to the entire 40 ac. |
| Slope Stability                           |     |            | Х     |                          | Yes   | By keeping the cut slopes to 1:1 and fill slopes to 1.5:1   |
| Erosion                                   |     |            | X     |                          | Yes   | By installing water bars where needed and revegetating disturbed sites.   |
| Compaction                                |     | Х          |       |                          | Yes   | Restrict operations to periods when the soil moisture content is less than 20%                                    |

#### Soil Mitigations:

- Stockpile top 4 inches of soil for reapplication after construction
- After the slopes have been redressed with the stockpiled soil the following grass seed mixture will be applied:

Sheep Fescue

4# PLS/ac.

Western Wheatgrass

6# PLS/ac.

Pubescent Wheatgrass

6# PLS/ac.

o Canada Bluegrass

4# PLS/ac.

- All grass seed will be certified weed free
- Continue applications until vegetation acceptable to the DNRC Anaconda Unit Manager is established
- Cut slopes are not to exceed 1:1 and fill slopes 11/2:1
- Install water bars where identified by DNRC's representative

## > Operations will not occur when soil moisture content is greater than 20%

| Water Quality, Quantity and Distribution | IMPA | CT         |       |      | Can Impact be | Comment |
|--|------|------------|-------|------|---------------|---------|
|  | N/A  | Negligible | Minor | High | mitigated?    | Index   |
| Sediment Delivery                        | X    |            |       |      |               |         |
| Water Yield                              | X    |            |       |      |               |         |

Comments: No water on that portion of the tract involved with this project.

| Fisheries          |      |            |                          |               |  |  |  |
|--------------------|------|------------|--------------------------|---------------|--|--|--|
|                    | IMPA | CT         | Can Impact be mitigated? | Comment Index |  |  |  |
|                    | N/A  | Negligible | Minor                    | High          |  |  |  |
| Sediment           | X    |            |                          |               |  |  |  |
| Flow Regimes       | X    |            |                          |               |  |  |  |
| Woody Debris       | Х    |            |                          |               |  |  |  |
| Stream Shading     | X    |            |                          |               |  |  |  |
| Stream Temperature | X    |            |                          |               |  |  |  |
| Connectivity       | Χ    |            |                          |               |  |  |  |
| Populations        | Χ    |            |                          |               |  |  |  |

Comments: No waterways involved with this project

| Wildlife   | <u> </u> |            |       |      |                  |                              |
|--|----------|------------|-------|------|------------------|------------------------------|
|  |          | IMPA       | CT    |      | Can Impact       | Comment Index                |
| Threatened and Endangered Species  | N/A      | Negligible | Minor | High | be<br>mitigated? |                              |
| Grizzly bear (Ursus arctos) Habitat: Recovery areas, security from human activity                        | X        |            |       |      |                  |                              |
| Canada lynx (Felix lynx) Habitat: Subalpine fir habitat types, dense sapling, old forest, deep snow zone | X        |            |       |      |                  |                              |
| Bull Trout (Salvelinus confluentus) Habitat: clean cold water, streams, rivers, lakes                    | Х        |            |       |      |                  |                              |
| Sensitive Species  |          |            |       |      |                  |                              |
| Bald eagle (Haliaeetus leucocephalus) Habitat: Late-successional forest more than 1 mile from open water | X        |            |       |      |                  | Closest eagle nest 20 miles. |
| Black-backed<br>woodpecker<br>(Picoides arcticus)<br>Habitat: Mature to old                              | Х        |            |       |      |                  |                              |

|                               |     |   |   | T |              |      |
|-------------------------------|-----|---|---|---|--------------|------|
| burned or beetle-infested     |     |   |   |   |              |      |
| forest                        |     |   |   |   |              |      |
| Coeur d'Alene                 | X   |   |   |   |              |      |
| salamander                    |     |   |   |   |              |      |
| (Plethodon idahoensis)        |     |   |   |   |              |      |
| Habitat: Waterfall spray      |     |   |   |   |              |      |
| zones, talus near cascading   |     |   |   |   |              |      |
| streams                       |     |   |   |   |              |      |
| Columbian sharp-tailed        | X   |   | - |   | <del> </del> |      |
|                               | _ ^ |   |   |   |              |      |
| grouse                        |     |   |   |   |              |      |
| (Tympanuchus                  |     |   |   |   |              |      |
| Phasianellus columbianus)     |     |   |   |   |              |      |
| Habitat: Grassland,           |     |   |   |   |              |      |
| shrubland, riparian,          | ļ   |   |   |   |              |      |
| agriculture                   |     |   |   |   |              |      |
| Common Ioon                   | X   |   |   |   |              |      |
| (Gavia immer)                 |     |   |   | - |              |      |
| Habitat: Cold mountain        |     |   |   |   |              |      |
|                               |     |   |   |   |              |      |
| lakes, nest in emergent       |     |   |   |   |              |      |
| vegetation                    |     |   |   |   |              |      |
| Fisher                        | X   |   |   |   |              |      |
| (Martes pennanti)             |     |   |   |   |              |      |
| Habitat: Dense mature to      |     |   |   |   |              |      |
| old forest less than 6,000    |     |   |   |   |              |      |
| feet in elevation and         |     |   |   |   |              |      |
| riparian                      |     |   |   |   |              |      |
| Flammulated owl               | Х   |   |   |   |              | <br> |
| (Otus flammeolus)             | ^   |   |   |   |              |      |
|                               |     |   |   |   |              |      |
| Habitat: Late-successional    | ł   |   |   |   |              |      |
| ponderosa pine and            | 1   |   |   |   |              |      |
| Douglas-fir forest            |     |   |   |   |              |      |
| Gray Wolf                     | X   |   |   |   |              |      |
| (Canis lupus)                 |     |   |   |   |              |      |
| Habitat: Ample big game       |     |   |   |   |              |      |
| populations, security from    |     |   |   |   |              |      |
| human activities              |     |   |   |   |              |      |
| Harlequin duck                | X   |   |   | + |              | <br> |
| (Histrionicus histrionicus)   | ^   |   |   |   |              |      |
| Habitat: White-water          | 1   |   | İ | 1 |              |      |
|                               | 1   |   | 1 |   |              |      |
| streams, boulder and          | 1   |   | - |   |              |      |
| cobble substrates             |     |   |   |   |              |      |
| Northern bog lemming          | X   | 1 |   |   |              |      |
| (Synaptomys borealis)         |     |   |   |   |              |      |
| Habitat: Sphagnum             |     | 1 |   |   |              |      |
| meadows, bogs, fens with      |     |   |   |   |              |      |
| thick moss mats               |     |   |   |   |              |      |
| Mountain plover               | X   |   |   |   |              | <br> |
| (Charadrius montanus)         |     |   |   | - |              |      |
| Habitat: short-grass prairie, |     |   |   |   |              | _    |
|                               |     |   |   |   |              |      |
| alkaline flats, prairie dog   |     |   |   |   |              |      |
| towns                         |     |   |   |   |              | <br> |
| Peregrine falcon              | X   |   |   | - |              |      |
| (Falco peregrinus)            |     | 1 |   |   |              |      |
| Habitat: Cliff features near  |     | [ |   |   |              |      |
| open foraging areas and/or    |     |   |   |   |              |      |
|                               |     | L |   |   |              |      |

| Pileated woodpecker (Dryocopus pileatus)   Abbitat: Late-successional ponderosa pine and larch-fir forest     Townsend's big-eared bat (Plecotus townsendii)   Abbitat: Caves, caverns, old mines     Montana Arctic Grayling (Thymalius arctucus montanus) Habitat: clean cold water, streams, rivers, lakes     Westslope Cutthroat   Trout (Oncorhynchus clarki lewis)     Habitat: clean cold water, streams, rivers, lakes     Columbia Redband Trout (Oncorhynchus mykiss gairdnen)     Habitat: clean cold water, streams, rivers     Wolverine (Gulo gulo)     Habitat: clean cold water, streams, rivers     Wolverine (Gulo gulo)     Habitat: clean cold water, streams, rivers     Wolverine (Gulo gulo)     Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring     Big Game Species     Elk |     |                             | T        | 1 | T | 1 |                         |
|---|-----|-----------------------------|----------|---|---|---|-------------------------|
| (Dryocopus pileatus) Habitat: Late-successional ponderosa pine and larch-fir forest  Townsend's big-eared bat (Plecotus townsendii) Habitat: Caves, caverns, old mines  Montana Arctic Grayling (Trhymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes  Westslope Cutthroat Trout (Oncorhynchus clarki lewisi) Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     | wetlands                    | <u> </u> |   |   |   |                         |
| Habitat: Late-successional ponderosa pine and larch-fir forest  Townsend's big-eared bat (Plecotus townsendii) Habitat: Caves, caverns, old mines  Montana Arctic Grayling (Thymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes  Westslope Cutthroat Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only milnor impacts over the longer term  |     |                             | X        |   |   |   |                         |
| ponderosa pine and larch-fir forest  Townsend's big-eared bat (Plecotus townsendii) Habitat: Caves, caverns, old mines  Montana Arctic Grayling (Thymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes  Westslope Cutthroat Trout (Oncorhynchus clarki lewisi) Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only minor impacts over the longer term   |     |                             |          |   |   |   |                         |
| forest  Townsend's big-eared bat (Piecotus townsendii) Habitat: Caves, caverns, old mines  Montana Arctic Grayling (Thymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes  Westslope Cutthroat Trout (Oncorhynchus clarki lewisi) Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elik X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only minor impacts over the longer term   | - 1 |                             |          |   |   |   |                         |
| Townsend's big-eared bat (Plecotus townsendii) Habitat: Caves, caverns, old mines  Montana Arctic Grayling (Thymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes  Westslope Cutthroat Trout (Oncorhynchus clarki lewisi) Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term   | po  | onderosa pine and larch-fir |          |   |   |   |                         |
| Plectus townsendii)   |     | forest                      |          |   |   |   |                         |
| Habitat: Caves, caverns, old mines  Montana Arctic Grayling (Thymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes  Westslope Cutthroat Trout (Oncorhynchus clarki lewis) Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gaircheri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only minor impacts over the longer term  | T   | ownsend's big-eared bat     | X        |   |   |   |                         |
| Habitat: Caves, caverns, old mines  Montana Arctic Grayling (Thymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes  Westslope Cutthroat Trout (Oncorhynchus clarki lewis) Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gaircheri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     | (Plecotus townsendii)       |          |   |   |   |                         |
| Montana Arctic Grayling (Thymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes   X   Trout (Oncorhynchus clarki lewisi)   Habitat: clean cold water, streams, rivers, lakes   Columbia Redband Trout (Oncorhynchus mykiss gairdneri)   Habitat: clean cold water, streams, rivers   X   (Oncorhynchus mykiss gairdneri)   Habitat: clean cold water, streams, rivers   Wolverine (Gulo gulo)   Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring   Big Game Species   Elk  |     |                             | 1        |   |   |   |                         |
| Chymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes   Westslope Cutthroat   X   Trout (Oncorhynchus clarki lewisi)   Habitat: clean cold water, streams, rivers, lakes   Columbia Redband Trout (Oncorhynchus mykiss gairdneri)   Habitat: clean cold water, streams, rivers   X   Wolverines preferred habitat: clean cold water, streams, rivers   X   Wolverines preferred habitat: clean cold water, streams, rivers   X   Wolverines preferred habitat: boreal forests and alpine habitats. This tract occurs on the coniferous forests that maintain deep persistent snow into late spring   X   See comments below   Whitetail   X   Deer would be temporarily displace by construction but receive only minor impacts over the longer term   |     |                             |          |   |   |   |                         |
| Chymallus arctucus montanus) Habitat: clean cold water, streams, rivers, lakes   Westslope Cutthroat   X   Trout (Oncorhynchus clarki lewisi)   Habitat: clean cold water, streams, rivers, lakes   Columbia Redband Trout (Oncorhynchus mykiss gairdneri)   Habitat: clean cold water, streams, rivers   X   Wolverines preferred habitat: clean cold water, streams, rivers   X   Wolverine (Gulo gulo)   Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring   Elk   X   See comments below   X   See comments below   Whitetail   X   Deer would be temporarily displace by construction but receive only more imports over the longer term   | . N | Montana Arctic Gravling     | X        |   |   |   |                         |
| montanus   Habitat: clean   cold water, streams, rivers, lakes  |     |                             |          |   |   |   |                         |
| Cold water, streams, rivers, lakes  Westslope Cutthroat Trout (Oncorhynchus clarki lewisi) Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  | r   |                             |          |   |   |   |                         |
| Iakes   Westslope Cutthroat   X   Trout (Oncorhynchus clarki lewisi)   Habitat: clean cold water, streams, rivers, lakes   Columbia Redband Trout (Oncorhynchus mykiss gairdneri)   Habitat: clean cold water, streams, rivers   X   Wolverines preferred habitat is boreal forests and alpine habitats. This tract occurs on the ecotone between prairie and timber.    Big Game Species   Elk   X   See comments below   Whitetail   X   Deer would be temporarily displace by construction but receive only minor impacts over the longer term   |     |                             |          |   |   |   |                         |
| Westslope Cutthroat Trout (Oncorhynchus clarki lewisi)  |     |                             |          |   |   |   |                         |
| Trout (Oncorhynchus clarki lewisi) Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk X See comments below  Whitetail  X See comments below  Deer would be temporarily displace by construction but receive only minor impacts over the longer term   |     |                             | X        |   |   |   |                         |
| Habitat: clean cold water, streams, rivers, lakes   X     Columbia Redband Trout (Oncorhynchus mykiss gairdneri)   Habitat: clean cold water, streams, rivers     Wolverine (Gulo gulo)   Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring     Big Game Species     Elk  | T   |                             | ``       |   |   |   |                         |
| Habitat: clean cold water, streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  | ''  |                             |          |   |   |   |                         |
| Streams, rivers, lakes  Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     | ,                           |          |   |   |   |                         |
| Columbia Redband Trout (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     |                             |          |   |   |   |                         |
| (Oncorhynchus mykiss gairdneri) Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term   | C   |                             | X        |   |   |   |                         |
| Habitat: clean cold water, streams, rivers  |     |                             |          |   |   |   |                         |
| Habitat: clean cold water, streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term   |     |                             |          |   |   |   |                         |
| Streams, rivers  Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  | 1 - |                             |          |   |   |   |                         |
| Wolverine (Gulo gulo) Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term   |     |                             | 1        |   |   |   |                         |
| Caulo gulo   Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  |     |                             |          | Y |   |   | Walvarings professed    |
| Habitat: Alpine tundra and high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term   |     |                             | ĺ        | , |   |   |                         |
| high-elevation boreal and coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  | l н |                             | j        |   |   |   |                         |
| Coniferous forests that maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     |                             |          |   |   |   | ·                       |
| maintain deep persistent snow into late spring  Big Game Species  Elk  X  See comments below  Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  | ''  |                             |          |   |   |   |                         |
| Big Game Species  Elk X See comments below  Whitetail X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term   | r   |                             |          |   |   |   |                         |
| Big Game Species  X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only minor impacts over the longer term  | '   |                             | ł        |   |   |   | and umber.              |
| Elk X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     | snow into late spring       |          |   |   |   |                         |
| Elk X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     |                             |          |   |   |   |                         |
| Elk X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     |                             | 1        |   |   |   |                         |
| Elk X See comments below  Whitetail X Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     | Big Game Species            |          |   |   |   |                         |
| Whitetail  X  Deer would be temporarily displace by construction but receive only minor impacts over the longer term  |     |                             |          |   |   |   |                         |
| temporarily displace by construction but receive only minor impacts over the longer term  |     | Elk                         |          | X |   |   | See comments below      |
| temporarily displace by construction but receive only minor impacts over the longer term  |     |                             |          |   |   |   |                         |
| construction but receive only minor impacts over the longer term  |     | Whitetail                   |          | X |   |   | Deer would be           |
| construction but receive only minor impacts over the longer term  |     |                             |          |   |   |   | temporarily displace by |
| the longer term   |     |                             |          |   |   |   |                         |
| the longer term   |     |                             |          |   |   |   | only minor impacts over |
|   |     |                             |          |   |   |   |                         |
| Mule Deer X Same impacts as   |     | Mule Deer                   |          | X |   |   | Same impacts as         |
| whitetail   |     |                             | 1        |   |   |   |                         |

#### Comments:

- > Two existing open roads limit the usefulness of the project area for big game.
- > The project area is included in an active grazing lease, likely limiting the availability of forage for elk and deer.
- Proposed activities on DNRC-managed lands would be of short-duration and would occur during a time period when big game would not likely be using the project area.

- Proposed activities could disturb up to 4 acres, including roughly 2 acres of grassland; overall negligible reductions in big game forage availability could occur.
- Proposed fence construction could displace big game, but would be at a small scale and would not appreciably affect movements at the landscape scale. Recent research has indicated that elk can acclimate to more suburban environments and the proposed modifications on DNRC-managed lands would likely not displace elk in the long term.

| Air<br>Quality | -   |            |       |      | Can Impact    | Comment Index  |  |
|----------------|-----|------------|-------|------|---------------|--|--|
|                | N/A | Negligible | Minor | High | be mitigated? |  |  |
| Smoke          | X   |            |       |      |               | No burning is anticipated  |  |
| Dust           |     |            | Х     |      |               | The dust created by 3 acres or less of disturbed ground would produce a major air quality problem. However the dust will be short term and localized resulting in minor impacts. |  |

| Will the proposed action result in potential impacts to:             | IMPACT |            |       |      | Can Impact<br>be | Comment Index  |
|--|--------|------------|-------|------|------------------|--|
|  | N/A    | Negligible | Minor | High | mitigated?       |  |
| Historical or<br>Archaeological sites                                | Х      |            |       |      |                  |  |
| Aesthetics   |        |            | X     |      | Yes              | Revegetation of the site to grasses  |
| Demands on<br>Environmental<br>Resources of Land,<br>Water or Energy |        |            | X     |      |                  | The project would result in a positive impact by contributing to the improvement of the existing water treatment facility. |

#### Comments:

- There would be an impact to the view-shed by the disturbance created by the portion of this project which is located on Trust Lands.
- A class III level intensity cultural resource inventory was conducted by DNRC's staff archeologist. No cultural or paleontological resources were identified.

#### Mitigations:

- Aesthetics impacts would be mitigated by revegetation of the disturbed ground to a grass cover.
- If any Historical or Archaeological sites were discovered during operations. Work would cease and the DNRC archaeologist would be notified immediately.

## **OTHER ENVIRONMENTAL DOCUMENTS PERTINENT TO THE AREA:** List other studies, plans or projects on this tract. Determine cumulative impacts likely to occur as a result of current private, state or federal actions in the analysis area, and from future proposed state actions in the analysis area that are under MEPA review (scoped) or permitting review by any state agency.

Butte Silver Bow master plan

## Impacts on the Human Population

Evaluation of the impacts on the proposed action including <u>primary, secondary and cumulative</u> impacts on the Human Population.

| Will the proposed action result in potential impacts to:          |     | IMPA       | СТ    |      | Can Impact<br>be<br>mitigated? | Comment Index   |  |
|---|-----|------------|-------|------|--------------------------------|---|--|
|   | N/A | Negligible | Minor | High | 9                              |   |  |
| Health and Human<br>Safety  |     |            |       | X    |                                | A positive impact would be produced by the improved quality and reliability of the new water treatment plant            |  |
| Industrial, Commercial and Agricultural Activities and Production | X   |            |       |      |                                |   |  |
| Quantity and<br>Distribution of<br>Employment                     |     |            | X     |      |                                | There would be a positive impact from the short term employment provided by the work to be done on State land           |  |
| Local Tax Base and<br>Tax Revenues                                | X   |            |       |      |                                |   |  |
| Demand for<br>Government Services                                 | X   |            |       |      |                                | The new plant would allow Butte Silver Bow to provide better services for water user in the city and part of the county |  |
| Access To and Quality of Recreational and Wilderness Activities   | Х   |            |       |      |                                |   |  |
| Density and Distribution of population and housing                | X   |            |       |      |                                |   |  |
| Social Structures and Mores                                       | Х   |            |       |      |                                |   |  |
| Cultural Uniqueness and Diversity                                 | Х   |            |       |      |                                |   |  |

**Locally Adopted Environmental Plans and Goals:** List State, County, City, USFS, BLM, Tribal, and other zoning or management plans, and identify how they would affect this project.

Butte Silver Bow operates under a county wide master plan

#### Other Appropriate Social and Economic Circumstances:

Costs, revenues and estimates of return are estimates intended for relative comparison of alternatives. They are not intended to be used as absolute estimates of return.

No Action: The No Action alternative would not generate any return to the trust at this time.

**Action**: Granting a permanent easement would generate approximately \$6,000 in revenues to the Trust. Costs, revenues, and estimates of return are estimates intended for relative comparison of alternatives, they are not intended to be used as absolute estimates of return.

Does the proposed action involve potential risks or adverse effects that are uncertain but extremely harmful if they were to occur?

No

Does the proposed action have impacts that are individually minor, but cumulatively significant or potentially significant?

No

## **Environmental Assessment Checklist Prepared By:**

Name: Fred E. Staedler Jr. Title: Anaconda Unit Manager

Date: 2-25-14

# Finding

#### **Alternative Selected**

Action

### Significance of Potential Impacts

No significant impacts are anticipated with the implementation of the mitigation measures as identified in this document.

| <b>Need for</b> | <b>Further</b> | <b>Environmental</b> | <b>Analysis</b> |
|-----------------|----------------|----------------------|-----------------|
|-----------------|----------------|----------------------|-----------------|

|  | EIS |  | More Detailed EA | X | No Further Analysis |
|--|-----|--|------------------|---|---------------------|
|--|-----|--|------------------|---|---------------------|

## **Environmental Assessment Checklist Approved By:**


Name: Dana Boruch


Title: Right of Way Specialist Southwest Land Office

Date: 3-20-14

Signature: /s/ Dana M. Boruch

Appendix A - Exhibit





Vicinity map



## **Basin Water Treatment Facility**



Printed: Mar 21, 2014